Elon University REQUIRED UNDERGRADUATE IMMUNIZATION FORMS

THIS IS REQUIRED INFORMATION

Complete this form and return by July 1st to:

STUDENT HEALTH SERVICES RN Ellington Center for Health and Wellness 301 S. O'Kelly Ave Elon, NC 27244 Phone: (336) 278-7230

Fax: (336) 538-6506

North Carolina law requires documentation of immunizations to be on file with Student Health Services before arrival to campus. Students will not receive their housing assignment until immunizations are complete and cleared by Student Health. Failure to comply will result in **ADMINISTRATIVE WITHDRAWAL** from the university.

- This form is for UNDERGRADUATE/TRANSFER students.
- University policy and state regulations require that prior to arriving on campus all new students submit documentation of all required immunizations.
- Any attachments must include student name, address, date of birth, sex and medical provider's signature.
- Please keep a copy of the form for your records.
- You will not be able to receive your residence hall assignment, attend orientation, attend activities, or attend class until all requirements are complete.
- SUBMISSION DEADLINES:
 - Fall Matriculation- July 1st
 - WT/Spring- December 1st
 - Summer I and Summer II Matriculation- June 1st

GUIDELINES FOR COMPLETING IMMUNIZATION RECORD

UNDERGRADUATE STUDENTS CHECKLIST:

	The Immuniz	zation Record	form must be	completed a	and include	patient first	and last name	, date of birth,	and student
ID	number. All	dates must in	clude month ,	day and yea	r of adminis	stration.			
_									

Records must include a clinician's signature or health department stamp.

☐ TB Screening Questionnaire (and TB risk assessment if applicable) MUST BE SUBMITTED even if all answers are "no"

IMMUNIZATION REQUIREMENTS PURSUANT TO NC STATE LAW

		College/U	niversity Va	ccine Requi	rements and Nu	mber of Doses	
Diphtheria Tetanus and/or Pertussis ¹	Polio ²	Measles ³	Mumps ⁴	Rubella ⁵	Hepatitis B ⁶	Meningococcal ⁷	Varicella ⁸
3 Doses	3 doses	2 Doses	2 Doses	1 Dose	3 Doses	2 Doses	1 Dose

Footnote 1- Three doses are required for individuals entering college or university. Individuals entering college or university for the first time on or after July 1, 2008 must have had three doses of tetanus/diphtheria toxoid; one of which must be tetanus/diphtheria/pertussis.

Footnote 2- Three doses are required for individuals entering college or university. An individual attending school who has attained his or her 18th birthday is not required to receive polio vaccine.

Footnote 3- Two doses at least 28 days apart are required for individuals entering college or university. The requirement for a second dose does not apply to individuals who entered school, college or university for the first time before July 1, 1994. A person who has been diagnosed prior to January 1, 1994 by a physician (or designee such as a nurse practitioner or physician's assistant) as having measles (rubeola) or an individual who has been documented by serological testing to have a protective antibody titer against measles is not required to receive measles vaccine. Individuals born before 1957 are not required to receive measles vaccine except in measles outbreak situations.

Footnote 4- Two doses are required for individuals entering college or university. A physician's diagnosis is not acceptable for mumps disease(s). Individuals must be immunized or have laboratory confirmation of disease or have been documented by serological testing to have a protective antibody against mumps. Individuals born before 1957 are not required to receive the mumps vaccine. Individuals that entered college or university before July 1, 1994 are not required to receive the vaccine. Individuals that entered school, college, or university before July 1, 2008 are not required to receive the second dose of mumps vaccine.

Footnote 5- One dose is required for individuals entering college or university. A physician's diagnosis is not acceptable for rubella disease(s). Individuals must be immunized or have laboratory confirmation of rubella disease or have been documented by serological testing to have a protective antibody titer against rubella. Any individual who has attained his or her fiftieth birthday is not required to receive rubella vaccine except in outbreak situations. Any individual who entered college or university after his or her thirtieth birthday and before February 1, 1989 is not required to receive rubella vaccine except in outbreak situations.

Footnote 6- Three doses are required for individuals entering college or university. Hepatitis B vaccine is not required if an individual was born before July 1, 1994. For any individual who has never received the Hepitits B series, if you are 18 or older, you are a candidate for the Heplisav 2-dose Hep B series.

Footnote 7- CDC recommends vaccination with a meningococcal conjugate vaccine for all preteens and teens at 11 to 12 years old, with a booster dose at 16 years old.

Footnote 8- One dose is required for individuals entering college or university that were born on or after April 1, 2001. An individual who has laboratory confirmation of varicella disease immunity or has been documented by serological testing to have a protective antibody titer against varicella, or who has documentation from a physician, nurse practitioner, or physician's assistant verifying history of varicella disease is not required to receive varicella vaccine. The documentation shall include the name of the individual with a history of varicella disease, the approximate date or age of infection, and a healthcare provider signature. Individuals born before April 1, 2001 are not required to receive varicella vaccine.

IMMUNIZATION RECORD	(Please print in black ink) This form is to be completed and signed/stamped by a Physician/APP OR A copy of your immunization records signed/stamped from your medical provider will be accepted as well.				
Last Name	First Name	Middle Initial	Date of birth (MM/DD/YY)	Student ID number	

SECTION A:				
REQUIRED IMMUNIZATIONS	(MM/DD/YY)	(MM/DD/YY)	(MM/DD/YY)	(MM/DD/YY)
DTP or Td				
Tdap (adult dose)				
Polio				
MMR (after first birthday)				
Measles (after first birthday)				
Mumps				
Rubella				
Varicella (Born on/after April 1 st , 2001)				
Hepatitis B series				
Meningococcal (MCV4)**				
Current Seasonal Flu				

STUDENTS WILL NOT RECEIVE HOUSING ASSIGNMENT, BE ABLE TO CHECK IN ON CAMPUS OR ATTEND CLASS UNTIL DOCUMENTATION OF ALL REQUIRED MANDATED IMMUNIZATIONS ABOVE ARE RECEIVED BY DEADLINE

^{**}INSTITUTIONAL MADATE**

SECTION B: RECOMMENDED and OPTIONAL IMMUNIZATIONS	(MM/DD/YY)	(MM/DD/YY)	(MM/DD/YY)	(MM/DD/YY)
Hepatitis A				
HPV				
Haemophilus influenza type b				
Pneumococcal				
Men B				

Signature or clinic stamp REQUIRED:								
Signature of Physician/Physician Assist	ant/Nurse Practitioner	Date						
Print name of Physician/Physician Assi	stant/Nurse Practitioner	Area code/ phone number						
Office address	City	State	Zip code					

Tuberculosis (TB) Screening Questionnaire

To be completed by student

Last Name	First Name	Middle Init	ial Date of Birth (MM/DD	(YY) Student ID Number						
NOW THE PARTY OF	Ple	ase Answer the following	auestions:							
Have you ever had a positive TB skin test? ☐ Yes ☐ No										
Have you ever had close contact with anyone who was sick with TB? ☐ Yes ☐ No										
·	·									
Were you born in on	ne of the countries listed	d below? (If yes, please CI	RCLE the country)	☐ Yes ☐ No						
Have you traveled* to country/ies)	to one or more of the co	ountries listed below? (If	yes, please CIRCLE the	☐ Yes ☐ No						
Have you ever been	vaccinated with BCG?			☐ Yes ☐ No						
* The significance of th	ne travel exposure should l	be discussed with a health co	are provider and evaluated.							
Afghanistan	Congo Cook Islands	Kazakhstan	Namibia	Sri Lanka						
Algeria	Côte d'Ivoire	Kenya	Nepal	Sudan						
Angola	Croatia	Kiribati	Nicaragua	Suriname						
Argentina	Democratic People's	Kuwait	Niger	Swaziland						
Armenia	Republic of Korea	Kyrgyzstan	Nigeria Pakistan	Syrian Arab Republic						
Azerbaijan	Democratic Republic	Lao People's	Palau	Tajikistan						
Bahrain	of the Congo	Democratic	Panama	Thailand						
Bangladesh	Djibouti	Republic	Papua New Guinea	The former Yugoslav						
Belarus	Dominican Republic	Latvia	Paraguay	Republic						
Belize	Ecuador	Lesotho	Peru	of Macedonia						
Benin	El Salvador	Liberia	Philippines	Timor-Leste						
Bhutan	Equatorial Guinea	Libyan Arab	Poland	Togo						
Bolivia (Plurinational	Eritrea	Jamahiriya	Portugal	Tonga						
State of)	Estonia	Lithuania	Qatar	Trinidad and Tobago						
Bosnia and	Ethiopia	Madagascar	Republic of Korea	Tunisia						
Herzegovina	French Polynesia	Malawi	Republic of Moldova	Turkey						
Botswana	Gabon	Malaysia	Romania	Turkmenistan						
Brazil	Gambia	Maldives	Russian Federation	Tuvalu						
Brunei Darussalam	Georgia	Mali	Rwanda	Uganda						
Bulgaria	Ghana	Marshall Islands	Saint Vincent and the	Ukraine						
Burkina Faso	Guam	Mauritania	Grenadines	United Republic of Tanzania						
Burundi	Guatemala	Mauritius	Sao Tome and Principe	Uruguay						
Cambodia	Guinea	Micronesia	Senegal	Uzbekistan						
Cameroon	Guinea-Bissau	(Federated States	Serbia	Vanuatu						
Cape Verde	Guyana	of)	Seychelles	Venezuela (Bolivarian						
Central African	Haiti	Mongolia	Sierra Leone	Republic of)						
Republic	Honduras	Montenegro	Singapore	Viet Nam						
Chad	India	Morocco	Solomon Islands	Yemen						
China	Indonesia	Mozambique	Somalia	Zambia						
Colombia	Iraq	Myanmar	South Africa	Zimbabwe						

Source: World Health Organization Global Health Observatory, Tuberculosis Incidence 2009. Countries with incidence rates of \geq 20 cases per 100,000 population. For future updates, refer to http://apps.who.int/ghodata/?vid=510

If the answer is YES to any of the above questions, Elon University requires that a health care provider complete and sign the TB Risk Assessment below.

If the answer to all of the above questions is NO, no further testing or further action is required.

Japan

Tuberculosis (TB) Risk Assessment

To be completed by health care provider in clinical setting

Persons with any of the following are candidates for either Mantoux tuberculin skin test (TST) or Interferon Gamma Release Assay (IGRA).

Risk Factors include the following scenarios below:						
Recent close contact with someone with infectious TB disease?			Yes 🗖 No			
Foreign-born from (or travel* to) a high-prevalence area (e.g.,		Yes 🖵 No				
Europe, or Central or South America)						
Fibrotic changes on a prior chest x-ray suggesting inactive or pa	st TB disease?		Yes 🖵 No			
HIV/AIDS diagnosis			Yes 🗖 No			
Organ transplant recipient			Yes 🗖 No			
Immunosuppressed (equivalent of > 15 mg/day of prednisone tantagonist)	for >1 month or TNF-α		Yes 🖵 No			
History of illicit drug use?	1		Yes 🗖 No			
* The significance of the travel exposure should be discussed with a h	ealth care provider and evo	luated.				
1. Does the student have signs or symptoms of active tuberculosis disease? Yes No If Yes, proceed with additional evaluation to exclude active tuberculosis disease. Proceed with a tuberculin skin test or a Interferon Gamma Release Assay (IGRA).						
If NO, no further steps are necessary, just a Provider/APP signature below.						
Tuberculin Skin Test (TST) (TST result should be recorded as actual millimeters (mm) of induration, transverse diameter; if no induration, write "0". The TST interpretation should be based on mm of induration as well as risk factors.)**						
Date Given:/ Date Read:	$\frac{1}{M}$ D $\frac{1}{Y}$					
Result: mm of induration **Interpretation: positive negative						
Interferon Gamma Release Assay (IGRA)						
Date Obtained:/ (specify method)	QFT-G QFT-GIT	T-Spot	other			
M D Y Result: negative positive indeterminate	borderline (T-Spot	only)				
Date Obtained:// (specify method)	QFT-G QFT-GIT	T-Spot	other			
Result: negative positive indeterminate	borderline (T-Spo	t only)				

Date of chest x-ray:	M D Y	Result: normal	abnormal
Physician/APP Signat	ture or Stamp:		
Date:			

**Interpretation guidelines

>5 mm is positive:

• Recent close contacts of an individual with infectious TB

Chest x-ray: (Only Required if TST or IGRA is positive)

- Persons with fibrotic changes on a prior chest x-ray consistent with past TB disease
- Organ transplant recipients
- Immunosuppressed persons: taking > 15 mg/d of prednisone for > 1 month; taking a TNF- α antagonist
- Persons with HIV/AIDS

>10 mm is positive:

- Persons born in a high prevalence country or who resided in one for a significant* amount of time
- History of illicit drug use
- Mycobacteriology laboratory personnel
- History of resident, worker, or volunteer in high-risk congregate settings
- Persons with the following clinical conditions: silicosis, diabetes mellitus, chronic renal failure, leukemias and lymphomas, head, neck or lung cancer, low body weight (>10% below ideal), gastrectomy or intestinal bypass, chronic malabsorption syndromes

>15 mm is positive:

- Persons with no known risk factors for TB disease
- *The significance of the exposure should be discussed with a health care provider and evaluated.